



WE PROVIDE QUALITY
ELECTRO
SURGICAL INSTRUMENTS

Email: info@ajwasurgical.com

Cell: +92 315 7651238





AS-ES-01-1001
McPherson (Straight)
Tip (mm): 0.5
Size: 3½" (9.0 cm)



AS-ES-01-1002
Mcpherson (Crv.)
Tip (mm): 0.5
Size: 3½" (9.0 cm)



AS-ES-01-1003
Coaptation Nadler
Tip (mm): 0.5
Size: 4" (10.2 cm)



AS-ES-01-1004
Coaptation
Tip (mm): 0.5
Size: 4¼" (10.8 cm)



AS-ES-01-1005
Jeweler #5
Tip (mm): Micro, 0.5
Size: 4½" (11.5 cm)



AS-ES-01-1006
Jeweler #4
Tip (mm): Micro, 0.5
Size: 4½" (11.5 cm)



AS-ES-01-1007
Tenzel
Tip (mm): Micro, 0.5
Size: 4" (10.2 cm)



AS-ES-01-1008
Jeweler #7
Tip (mm): Micro, 0.5
Size: 4½" (11.5 cm)



AS-ES-01-1009
Iris (Str.)
Tip (mm): 1.0
Size: 4¼" (10.8 cm)



AS-ES-01-1010
Iris (Crv.)
Tip (mm): 1.0
Size: 4¼" (10.8 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-02-1011
Adson
Tip (mm): 1.0
Size: 4¾" (12.1 cm)



AS-ES-02-1012
Adson
Tip (mm): 1.0
Size: 6" (15.2 cm)



AS-ES-02-1013
Adson (Crv.)
Tip (mm): 1.0
Size: 6" (15.2 cm)



AS-ES-02-1014
Semkin
Tip (mm): 0.5
Size: 5½" (14.0 cm)



AS-ES-02-1015
Cushing
Tip (mm): 1.0, 1.5
Size: 6¼" (15.9 cm)



AS-ES-02-1016
Cushing
Tip (mm): 1.0, 2.0
Size: 7" (17.8 cm)



AS-ES-02-1017
Cushing
Tip (mm): 1.0, 2.0
Size: 7" (17.8 cm)



AS-ES-02-1018
Gerald (Str.)
Tip (mm): 1.0, 1.5
Size: 7" (17.8 cm)



AS-ES-02-1019
Gerald (Crv.)
Tip (mm): 1.0, 1.5
Size: 7" (17.8 cm)



AS-ES-02-1020
Gerald Bayonet
Tip (mm): 1.0, 1.5
Size: 7¼" (18.4 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-03-1022
Jansen Bayonet
Tip (mm): 0.5, 1.0, 1.5
Size: 6" (15.2 cm)



AS-ES-03-1023
Jansen Bayonet
Tip (mm): 0.5, 1.0, 1.5
Size: 7" (17.8 cm)



AS-ES-03-1024
Jansen Bayonet
Tip (mm): 1.0, 1.5, 2.0
Size: 8" (20.4 cm)



AS-ES-03-1025
Malis
Tip (mm): 0.5, 1.0, 2.0
Size: 7" (17.8 cm)



AS-ES-03-1026
Malis
Tip (mm): 0.5, 1.0, 2.0
Size: 8" (20.4 cm)



AS-ES-03-1027
Scoville Greenwood
Tip (mm): 1.0, 1.5
Size: 7½" (19.1 cm)



AS-ES-03-1028
Yasargil
Tip (mm): 1.0, 1.5
Size: 7¾" (19.7 cm)



AS-ES-03-1029
Yasargil
Tip (mm): 1.0, 1.5
Size: 6" (15.2 cm)



AS-ES-03-1030
Hardy Bayonet
Tip (mm): 1.0
Size: 8½" (21.6 cm)



AS-ES-03-1031
Hardy Bayonet (Angled)
Tip (mm): 1.0
Size: 8½" (21.6 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-04-1032
Jeweler # 5
Tip (mm): Micro, 0.5
Size: 4½" (11.5 cm)



AS-ES-04-1033
Malis (Str.)
Tip (mm): Micro, 0.5
Size: 6" (15.2 cm)



AS-ES-04-1034
Adson
Tip (mm): 1.0
Size: 4¾" (12.1 cm)



AS-ES-04-1035
Semkin
Tip (mm): 0.5, 0.7
Size: 5½" (14 cm)



AS-ES-04-1036
Malis
Tip (mm): 0.5, 1.0, 2.0
Size: 7" (17.8 cm)



AS-ES-04-1037
Hardy Bayonet
Tip (mm): 0.5, 1.0, 2.0
Size: 8½" (21.6 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-41-10499
McPherson (Straight)
Tip (mm): 0.5
Size: 3½" (9.0 cm)



AS-ES-41-10500
McPherson (Angled)
Tip (mm): 0.5
Size: 3½" (9.0 cm)



AS-ES-41-10501
Jeweler #5
Tip (mm): 0.5, 0.7
Size: 4½" (11.5 cm)



AS-ES-41-10502
Jeweler #4
Tip (mm): 0.5, 0.7
Size: 4½" (11.5 cm)



AS-ES-41-10503
Adson
Tip (mm): 1.0
Size: 4¾" (12.1 cm)



AS-ES-41-10504
Cushing
Tip (mm): 1.0, 1.5
Size: 6½" (16.5 cm)



AS-ES-41-10505
Cushing
Tip (mm): 1.0, 2.0
Size: 7" (17.8 cm)



AS-ES-41-10506
Gerald Bayonet
Tip (mm): 1.0, 1.5
Size: 7¼" (18.4 cm)



AS-ES-41-10507
Jansen Bayonet
Tip (mm): 0.5, 1.0, 1.5
Size: 7" (17.8 cm)



AS-ES-41-10508
Scoville-Greenwood
Tip (mm): 1.0, 1.5
Size: 7½" (19.1 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-41-10509
Yasargil
Tip (mm): 1.0, 1.5
Size: 7¾" (20.0 cm)



AS-ES-41-10510
Hardy Bayonet
Tip (mm): 1.0, 1.5, 2.0
Size: 8½" (21.6 cm)



AS-ES-41-10511
Jeweler #5
Tip (mm): 0.5, 0.7
Size: 4½" (11.5 cm)



AS-ES-41-10512
Jeweler #5 (Angled)
Tip (mm): 0.5, 0.7
Size: 4½" (11.5 cm)



AS-ES-41-10513
Straight
Tip (mm): 0.5, 0.7, 1.0, 1.5, 2.0
Size: 7" (17.8 cm)



AS-ES-41-10514
Straight
Tip (mm): 0.5, 0.7, 1.0, 1.5, 2.0
Size: 7¾" (20.0 cm)



AS-ES-41-10515
Straight
Tip (mm): 0.5, 0.7, 1.0, 1.5, 2.0
Size: 8¾" (22.0 cm)



AS-ES-41-10516
Straight (Angled)
Tip (mm): 0.5, 0.7, 1.0, 1.5, 2.0
Size: 7" (17.8 cm)



AS-ES-41-10517
Straight (Angled)
Tip (mm): 0.5, 0.7, 1.0, 1.5, 2.0
Size: 7¾" (20.0 cm)



AS-ES-41-10518
Straight (Angled)
Tip (mm): 0.5, 0.7, 1.0, 2.0
Size: 8¾" (22.0 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-41-10519
Bayonet
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 6½" (16.5 cm)



AS-ES-41-10520
Bayonet
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 7¾" (20.0 cm)



AS-ES-41-10521
Bayonet
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 8¾" (22.0 cm)



AS-ES-41-10522
Bayonet (Angled Up)
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 6½" (16.5 cm)



AS-ES-41-10523
Bayonet (Angled Up)
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 7¾" (20.0 cm)



AS-ES-41-10524
Bayonet (Angled Up)
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 8¾" (22.0 cm)



AS-ES-41-10525
Bayonet (Angled Down)
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 6½" (16.5 cm)



AS-ES-41-10526
Bayonet (Angled Down)
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 7¾" (20.0 cm)



AS-ES-41-10527
Bayonet (Angled Down)
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 8¾" (22.0 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-41-10528
McPherson
Tip (mm): 0.5
Size: 4" (10.2 cm)



AS-ES-41-10529
McPherson (Angled)
Tip (mm): 0.5
Size: 4" (10.2 cm)



AS-ES-41-10530
Jeweler #5
Tip (mm): 0.5
Size: 4½" (11.5 cm)



AS-ES-41-10531
Jeweler #5 (Angled)
Tip (mm): 0.5, 0.7
Size: 4½" (11.5 cm)



AS-ES-41-10532
Adson
Tip (mm): 1.0
Size: 4¾" (12.1 cm)



AS-ES-41-10533
Straight
Tip (mm): 0.5, 1.0, 2.0
Size: 6" (15.0 cm)



AS-ES-41-10534
Straight
Tip (mm): 0.5, 1.0, 2.0
Size: 7" (17.8 cm)



AS-ES-41-10535
Straight
Tip (mm): 0.5, 1.0, 2.0
Size: 7¾" (20.0 cm)



AS-ES-41-10536
Straight
Tip (mm): 0.5, 1.0, 2.0
Size: 8¾" (22.0 cm)



AS-ES-41-10537
Bayonet
Tip (mm): 1.0, 1.5, 2.0
Size: 6½" (16.5 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-41-10538
Bayonet
Tip (mm): 0.5, 1.0, 2.0
Size: 7" (17.8 cm)



AS-ES-41-10539
Bayonet
Tip (mm): 0.5, 1.0, 2.0
Size: 7 3/4" (20.0 cm)



AS-ES-41-10540
Bayonet
Tip (mm): 0.5, 1.0, 2.0
Size: 8 3/4" (22.0 cm)



AS-ES-41-10541
Jeweler #5
Tip (mm): 0.5, 0.7
Size: 4 1/2" (11.5 cm)



AS-ES-41-10542
Jeweler #5 (Angled)
Tip (mm): 0.5, 0.7
Size: 4 1/2" (11.5 cm)



AS-ES-41-10543
Straight
Tip (mm): 0.5, 0.7, 1.0, 1.5, 2.0
Size: 7" (17.8 cm)



AS-ES-41-10544
Straight
Tip (mm): 0.5, 0.7, 1.0, 1.5, 2.0
Size: 7 3/4" (20.0 cm)



AS-ES-41-10545
Straight
Tip (mm): 0.5, 0.7, 1.0, 1.5, 2.0
Size: 8 3/4" (22.0 cm)



AS-ES-41-10546
Straight (Angled)
Tip (mm): 0.5, 0.7, 1.0, 1.5, 2.0
Size: 7" (17.8 cm)



AS-ES-41-10547
Straight (Angled)
Tip (mm): 0.5, 0.7, 1.0, 1.5, 2.0
Size: 7 3/4" (20.0 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-41-10548
Straight (Angled)
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 8 ¾" (22.0 cm)



AS-ES-41-10549
Bayonet
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 6½" (16.5 cm)



AS-ES-41-10550
Bayonet
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 7 ¾" (20.0 cm)



AS-ES-41-10551
Bayonet
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 8 ¾" (22.0 cm)



AS-ES-41-10552
Bayonet (Angled Up)
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 6½" (16.5 cm)



AS-ES-41-10553
Bayonet (Angled Up)
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 7 ¾" (20.0 cm)



AS-ES-41-10554
Bayonet (Angled Up)
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 8 ¾" (22.0 cm)



AS-ES-41-10555
Bayonet (Angled Down)
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 6½" (16.5 cm)



AS-ES-41-10556
Bayonet (Angled Down)
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 7 ¾" (20.0 cm)



AS-ES-41-10557
Bayonet (Angled Down)
Tip (mm): 0.5, 0.7, 1.0,
1.5, 2.0
Size: 8 ¾" (22.0 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-05-1038
Jeweler # 4
Tip (mm): Micro
Size: 4½" (11.5 cm)



AS-ES-05-1039
Jeweler # 7
Tip (mm): Micro
Size: 4½" (11.5 cm)



AS-ES-05-1040
Adson
Tip (mm): 1.0
Size: 4¾" (12.1 cm)



AS-ES-05-1041
Potts-Smith
Tip (mm): 2.0
Size: 7" (17.8 cm)



AS-ES-05-1042
Potts-Smith
Tip (mm): 2.0
Size: 8¼" (21.0 cm)



AS-ES-05-1043
Malis
Tip (mm): 1.0, 1.5
Size: 7" (17.8 cm)



AS-ES-05-1044
Jansen Bayonet
Tip (mm): 2.0
Size: 7½" (19.1 cm)



AS-ES-05-1045
Jansen Bayonet (Angled Up)
Tip (mm): 2.0
Size: 7½" (19.1 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-06-1046
McPherson (Str.)
Tip (mm): 0.5
Size: 3½" (9 cm)



AS-ES-06-1047
McPherson (Crv.)
Tip (mm): 0.5
Size: 3½" (9 cm)



AS-ES-06-1048
Jeweler # 5
Tip (mm): 0.5, 0.7
Size: 4½" (11.5 cm)



AS-ES-06-1049
Jeweler # 4
Tip (mm): 0.5, 0.7
Size: 4½" (11.5 cm)



AS-ES-06-1050
Adson
Tip (mm): 1.0
Size: 4¾" (12.1 cm)



AS-ES-06-1051
Semkin
Tip (mm): 0.5, 1.0
Size: 5½" (14.0 cm)



AS-ES-06-1052
Cushing
Tip (mm): 1.0, 1.5
Size: 6¼" (15.9 cm)



AS-ES-06-1053
Cushing
Tip (mm): 1.0, 2.0
Size: 7" (17.8 cm)



AS-ES-06-1054
Gerald Bayonet
Tip (mm): 1.0, 1.5
Size: 7¼" (18.4 cm)



AS-ES-06-1055
Jansen Bayonet
Tip (mm): 0.5, 1.0, 1.5
Size: 7" (17.8 cm)



AS-ES-06-1056
Scoville - Greenwood
Tip (mm): 1.0, 1.5
Size: 7½" (19.1 cm)



AS-ES-06-1057
Yasargil
Tip (mm): 1.0, 1.5
Size: 7¾" (19.7 cm)



AS-ES-06-1058
Hardy Bayonet
Tip (mm): 1.0, 1.5, 2.0
Size: 8½" (21.6 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-07-1059
Jeweler # 4
Tip (mm): 0.5
Size: 4½" (11.5 cm)



AS-ES-07-1060
Semkin
Tip (mm): 0.75
Size: 5½" (14.0 cm)



AS-ES-07-1061
Jansen Bayonet
Tip (mm): 0.75
Size: 7½" (19.1 cm)



AS-ES-07-1062
Scoville-Greenwood
Tip (mm): 1.5
Size: 7¾" (19.7 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-08-1063
Cushing
Tip (mm): 1.0
Size: 6¼" (15.9 cm)



AS-ES-08-1064
Gerald Bayonet
Tip (mm): 1.0
Size: 7¼" (18.4 cm)



AS-ES-08-1065
Jansen Bayonet
Tip (mm): 1.5
Size: 8" (20.4 cm)



AS-ES-08-1066
Scoville-Greenwood
Tip (mm): 1.5
Size: 7¾" (19.7 cm)



AS-ES-08-1067
Hardy Bayonet
Tip (mm): 1.5
Size: 8½" (21.6 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-09-1068
Potts-Smith
Tip (mm): 2.0
Size: 8¼" (21.0 cm)



AS-ES-09-1069
Potts-Smith
Tip (mm): 2.0
Size: 9½" (24.0 cm)



AS-ES-09-1070
Jansen Bayonet
Tip (mm): 2.0
Size: 5½" (14.0 cm)



AS-ES-09-1071
Jansen Bayonet
Tip (mm): 2.0
Size: 7½" (19.0 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-10-1072
Potts-Smith
Tip (mm): 2.0
Size: 8¼" (21.0 cm)



AS-ES-10-1073
Potts-Smith
Tip (mm): 2.0
Size: 9½" (24.0 cm)



AS-ES-10-1074
Jansen Bayonet
Tip (mm): 2.0
Size: 5½" (14.0 cm)



AS-ES-10-1075
Jansen Bayonet
Tip (mm): 2.0
Size: 7½" (19.0 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-11-1076
McPherson
Tip (mm): 0.5
Size: 4" (10.2 cm)



AS-ES-11-1077
McPherson (Angled)
Tip (mm): 0.5
Size: 4" (10.2 cm)



AS-ES-11-1078
Jeweler # 5
Tip (mm): 0.5, 0.7
Size: 4½" (11.5 cm)



AS-ES-11-1079
Jeweler # 5 (Angled)
Tip (mm): 0.5, 0.7
Size: 4½" (11.5 cm)



AS-ES-11-1080
Jeweler # 7
Tip (mm): 0.5, 0.7
Size: 4½" (11.5 cm)



AS-ES-11-1081
Straight
Tip (mm): 0.5, 1.0, 2.0
Size: 6" (15.0 cm)



AS-ES-11-1082
Straight (Angled)
Tip (mm): 0.5, 1.0, 2.0
Size: 6" (15.0 cm)



AS-ES-11-1083
Straight
Tip (mm): 0.5, 1.0, 2.0
Size: 7" (18.0 cm)



AS-ES-11-1084
Straight (Angled)
Tip (mm): 0.5, 1.0, 2.0
Size: 7" (18.0 cm)



AS-ES-11-1085
Straight
Tip (mm): 0.5, 1.0, 2.0
Size: 7¾" (20.0 cm)



AS-ES-11-1086
Straight (Angled)
Tip (mm): 0.5, 1.0, 2.0
Size: 7¾" (20.0 cm)



AS-ES-11-1087
Straight
Tip (mm): 0.5, 1.0, 2.0
Size: 8¾" (22.0 cm)



AS-ES-11-1088
Straight (Angled)
Tip (mm): 0.5, 1.0, 2.0
Size: 8¾" (22.0 cm)



AS-ES-11-1089
Bayonet
Tip (mm): 0.5, 1.0, 2.0
Size: 6½" (16.5 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-11-1090

Bayonet (Angled Up)

Tip (mm): 0.5, 1.0, 2.0

Size: 6½" (16.5 cm)



AS-ES-11-1091

Bayonet (Angled Up)

Tip (mm): 0.5, 1.0, 2.0

Size: 6½" (16.5 cm)



AS-ES-11-1092

Bayonet

Tip (mm): 0.5, 1.0, 2.0

Size: 7" (18.0 cm)



AS-ES-11-1093

Bayonet (Angled Up)

Tip (mm): 0.5, 1.0, 2.0

Size: 7" (18.0 cm)



AS-ES-11-1094

Bayonet (Angled Down)

Tip (mm): 0.5, 1.0, 2.0

Size: 7" (18.0 cm)



AS-ES-11-1095

Bayonet

Tip (mm): 0.5, 1.0, 2.0

Size: 7¾" (20.0 cm)



AS-ES-11-1096

Bayonet (Angled Up)

Tip (mm): 0.5, 1.0, 2.0

Size: 7¾" (20.0 cm)



AS-ES-11-1097

Bayonet (Angled Up)

Tip (mm): 0.5, 1.0, 2.0

Size: 7¾" (20.0 cm)



AS-ES-11-1098

Bayonet

Tip (mm): 0.5, 1.0, 2.0

Size: 8¾" (22.0 cm)



AS-ES-11-1099

Bayonet (Angled Up)

Tip (mm): 0.5, 1.0, 2.0

Size: 8¾" (22.0 cm)



AS-ES-11-10100

Bayonet (Angled Down)

Tip (mm): 0.5, 1.0, 2.0

Size: 8¾" (22.0 cm)



AS-ES-11-10101

Adson

Tip (mm): 1.0

Size: 4¾" (12.1 cm)



AS-ES-11-10102

Straight

Tip (mm): 0.5, 1.0, 2.0

Size: 6" (15.0 cm)



AS-ES-11-10103

Straight (Angled)

Tip (mm): 0.5, 1.0, 2.0

Size: 6" (15.0 cm)



AS-ES-11-10104

Straight

Tip (mm): 0.5, 1.0, 2.0
Size: 7" (18.0 cm)



AS-ES-11-10105

Straight (Angled)

Tip (mm): 0.5, 1.0, 2.0
Size: 7" (18.0 cm)



AS-ES-11-10106

Straight

Tip (mm): 0.5, 1.0, 2.0
Size: 7¾" (20.0 cm)



AS-ES-11-10107

Straight (Angled)

Tip (mm): 0.5, 1.0, 2.0
Size: 7¾" (20.0 cm)



AS-ES-11-10108

Straight

Tip (mm): 0.5, 1.0, 2.0
Size: 8¾" (22.0 cm)



AS-ES-11-10109

Straight (Angled)

Tip (mm): 0.5, 1.0, 2.0
Size: 8¾" (22.0 cm)



AS-ES-11-10110

Bayonet

Tip (mm): 0.5, 1.0, 2.0
Size: 5½" (14.0 cm)



AS-ES-11-10111

Bayonet

Tip (mm): 0.5, 1.0, 2.0
Size: 7" (18.0 cm)



AS-ES-11-10112

Bayonet

Tip (mm): 0.5, 1.0, 2.0
Size: 7¾" (20.0 cm)



AS-ES-11-10113

Bayonet (Angled Up)

Tip (mm): 0.5, 1.0, 2.0
Size: 7¾" (20.0 cm)



AS-ES-11-10114

Bayonet (Angled Down)

Tip (mm): 0.5, 1.0, 2.0
Size: 7¾" (20.0 cm)



AS-ES-11-10115

Bayonet

Tip (mm): 0.5, 1.0, 2.0
Size: 8¾" (22.0 cm)



AS-ES-11-10116

Bayonet (Angled Up)

Tip (mm): 0.5, 1.0, 2.0
Size: 8¾" (22.0 cm)



AS-ES-11-10117

Bayonet (Angled Down)

Tip (mm): 0.5, 1.0, 2.0
Size: 8¾" (22.0 cm)



AS-ES-12-10118
McPherson
Tip (mm): 0.5
Size: 4" (10.2 cm)



AS-ES-12-10119
McPherson (Angled)
Tip (mm): 0.5
Size: 4" (10.2 cm)



AS-ES-12-10120
Jeweler # 5
Tip (mm): 0.5, 0.7
Size: 4½" (11.5 cm)



AS-ES-12-10121
Jeweler # 5 (Angled)
Tip (mm): 0.5, 0.7
Size: 4½" (11.5 cm)



AS-ES-12-10122
Staright
Tip (mm): 0.5, 1.0, 2.0
Size: 6" (15.0 cm)



AS-ES-12-10123
Staright
Tip (mm): 0.5, 1.0, 2.0
Size: 7" (18.0 cm)



AS-ES-12-10124
Staright
Tip (mm): 0.5, 1.0, 2.0
Size: 7¾" (20.0 cm)



AS-ES-12-10125
Staright
Tip (mm): 0.5, 1.0, 2.0
Size: 8¾" (22.0 cm)



AS-ES-12-10126
Bayonet
Tip (mm): 0.5, 1.0, 2.0
Size: 6½" (16.5 cm)



AS-ES-12-10127
Bayonet
Tip (mm): 0.5, 1.0, 2.0
Size: 7" (18.0 cm)



AS-ES-12-10128
Bayonet
Tip (mm): 0.5, 1.0, 2.0
Size: 7¾" (20.0 cm)



AS-ES-12-10129
Bayonet
Tip (mm): 0.5, 1.0, 2.0
Size: 8¾" (22.0 cm)



AS-ES-12-10130
Adson
Tip (mm): 1.0
Size: 4¾" (12.1 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-13-10131
Staright Forceps
Tip (mm): 0.5, 0.7, 1.0
Size: 8¼" (21.0 cm)



AS-ES-13-10132
Staright Forceps (Ang.)
Tip (mm): 0.5, 0.7, 1.0
Size: 8¼" (21.0 cm)



AS-ES-13-10133
Staright Forceps
Tip (mm): 0.5, 0.7, 1.0
Size: 9¼" (23.5 cm)



AS-ES-13-10134
Staright Forceps (Ang.)
Tip (mm): 0.5, 0.7, 1.0
Size: 9¼" (23.5 cm)



AS-ES-13-10135
Bayonet Forceps
Tip (mm): 0.5, 0.7, 1.0
Size: 8¼" (21.0 cm)



AS-ES-13-10136
Bayonet Forceps
(Ang. Up)
Tip (mm): 0.5, 0.7, 1.0
Size: 8¼" (21.0 cm)



AS-ES-13-10137
Bayonet Forceps
(Ang. Down)
Tip (mm): 0.5, 0.7, 1.0
Size: 8¼" (21.0 cm)



AS-ES-13-10138
Bayonet Forceps
Tip (mm): 0.5, 0.7, 1.0
Size: 9¼" (23.5 cm)



AS-ES-13-10139
Bayonet Forceps
(Ang. Up)
Tip (mm): 0.5, 0.7, 1.0
Size: 9¼" (23.5 cm)



AS-ES-13-10140
Bayonet Forceps
(Ang. Down)
Tip (mm): 0.5, 0.7, 1.0
Size: 9¼" (23.5 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-14-10141
Bayonet
Tip (mm): 0.5, 1.0, 2.0
Size: 6" (15.0 cm)



AS-ES-14-10142
Bayonet
Tip (mm): 0.5, 1.0, 2.0
Size: 8¾" (22.0 cm)



AS-ES-14-10143
Bayonet
Tip (mm): 0.5, 1.0, 2.0
Size: 6½" (16.5 cm)



AS-ES-14-10144
Bayonet
Tip (mm): 0.5, 1.0, 2.0
Size: 7¾" (20.0 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-15-10145
Coaptation
Tip (mm): 0.5
Size: 4" (10.2 cm)



AS-ES-15-10146
Jeweler # 5
Tip (mm): 0.5
Size: 4" (10.2 cm)



AS-ES-15-10147
Jeweler # 5 (Angled)
Tip (mm): 0.5
Size: 4" (10.2 cm)



AS-ES-15-10148
Cushing
Tip (mm): 1.0
Size: 8" (20.4 cm)



AS-ES-15-10149
Jansen Bayonet
Tip (mm): 1.0
Size: 8" (20.4 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-16-10150
McPherson (Str.)
Tip (mm): 0.5
Size: 3½" (9.0 cm)



AS-ES-16-10151
Jeweler # 5
Tip (mm): Needle, 0.5
Size: 4½" (11.5 cm)



AS-ES-16-10152
Adson
Tip (mm): 0.5, 1.0
Size: 4¾" (12.1 cm)



AS-ES-16-10153
Semkin
Tip (mm): 0.5, 0.7, 1.0
Size: 5½" (14.0 cm)



AS-ES-16-10154
Jansen Bayonet
Tip (mm): 0.5, 1.0, 1.5, 2.0
Size: 7" (17.8 cm)



AS-ES-16-10155
Malis
Tip (mm): 0.5, 1.0, 1.5
Size: 7" (17.8 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-17-10156
Jeweler # 5
Tip (mm): Needle, 0.5
Size: 4½" (11.5 cm)



AS-ES-17-10157
Adson
Tip (mm): 0.5, 1.0
Size: 4¾" (12.1 cm)



AS-ES-17-10158
Gerald (Straight)
Tip (mm): 0.5, 1.0
Size: 7" (17.8 cm)



AS-ES-17-10159
Jansen Bayonet (Irrigation)
Tip (mm): 0.5, 0.7, 1.0, 1.5, 2.0
Size: 7" (17.8 cm)



AS-ES-17-10160
Jansen Bayonet
Tip (mm): 0.5, 0.7, 1.0, 1.5, 2.0
Size: 8" (20.4 cm)



AS-ES-17-10161
Jeweler # 5
Tip (mm): Needle, 0.5, 0.7
Size: 4½" (11.5 cm)



AS-ES-17-10162
Straight Forceps
Tip (mm): 0.5, 0.7, 1.0, 1.5, 2.0
Size: 7¾" (20.0 cm)



AS-ES-17-10163
Bayonet Forceps
Tip (mm): 0.5, 0.7, 1.0, 1.5, 2.0
Size: 7¾" (20.0 cm)



AS-ES-17-10164
Straight Forceps
Tip (mm): 0.5, 1.0
Size: 7¾" (20.0 cm)



AS-ES-17-10165
Straight (Ang.)
Tip (mm): 0.5, 1.0
Size: 7¾" (20.0 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-18-10166
Bipolar Artery Sealer
Size: 10½" (26.0 cm)




AS-ES-18-10167
Bipolar Artery Sealer
(Non-Stick)
Size: 10½" (26.0 cm)



AS-ES-18-10168
Bipolar Artery Sealer
Size: 9½" (24.0 cm)




AS-ES-18-10169
Bipolar Artery Sealer
(Non-Stick)
Size: 9½" (24.0 cm)



AS-ES-18-10170
Bipolar Artery Sealer
Size: 6½" (16.0 cm)



AS-ES-18-10171
Bipolar Artery Sealer
(Non-Stick)
Size: 6½" (16.0 cm)



AS-ES-18-10172
Bipolar Artery Sealer
Size: 7½" (19.0 cm)



AS-ES-18-10173
Bipolar Artery Sealer
(Non-Stick)
Size: 7½" (19.0 cm)



AS-ES-18-10174
Bipolar Artery Sealer
Size: 8½" (22.0 cm)



AS-ES-18-10175
Bipolar Artery Sealer
(Non-Stick)
Size: 8½" (22.0 cm)



AS-ES-18-10176
Bipolar Artery Sealer
Size: 10½" (26.0 cm)



AS-ES-18-10177
Bipolar Artery Sealer
(Non-Stick)
Size: 10½" (26.0 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y


I
n
n
o
v
a
t
i
o
n



AS-ES-19-10178
Bipolar Scissors (Crv.)
Size: 7" (18.0 cm)



AS-ES-19-10179
Bipolar Scissors (Crv.)
Size: 8¼" (21.0 cm)



AS-ES-19-10180
Bipolar Scissors (Crv.)
Size: 9" (23.0 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-20-10181
Jeweler # 4
Tip (mm): 0.5
Size: 4½" (11.5 cm)




AS-ES-20-10182
Semkin
Tip (mm): 0.75
Size: 5½" (14.0 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n




AS-ES-21-10182
Tuner-Warwick Scissors
(Str.)
Size: 7" (17.8 cm)




AS-ES-21-10184
Surgical Scissors
(Str.)
Size: 7" (17.8 cm)



AS-ES-21-10186
Wilson Hey Forceps
(Str.)
Size: 7" (17.8 cm)



AS-ES-21-10188
Artery Forceps
(Str.)
Size: 7" (17.8 cm)



AS-ES-21-10190
Richie Forceps
Size: 7" (17.8 cm)



AS-ES-21-10183
Tuner-Warwick Scissors
(Crv.)
Size: 7" (17.8 cm)



AS-ES-21-10185
Surgical Scissors
(Crv.)
Size: 7" (17.8 cm)



AS-ES-21-10187
Wilson Hey Forceps
(Crv.)
Size: 7" (17.8 cm)



AS-ES-21-10189
Artery Forceps
(Crv.)
Size: 7" (17.8 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-21-10191
Adson
Tip (mm): 1.0
Size: 4 3/4" (12.0 cm)



AS-ES-21-10192
McIndoe
Tip (mm): 1.0, 2.0
Size: 6" (15.0 cm)



AS-ES-21-10193
Gillies (1x2)
Size: 6" (15.0 cm)



AS-ES-21-10194
Dissecting Forceps
Tip (mm): 1.0, 2.0
Size: 6" (15.0 cm)



AS-ES-21-10195
Gerald (1x2)
Size: 7" (17.8 cm)




AS-ES-21-10196
Adson Bayonet
Tip (mm): 1.0, 2.0
Size: 6 1/4" (16.0 cm)



AS-ES-21-10197
Adson Bayonet (Ang. Up)
Tip (mm): 1.0, 2.0
Size: 6 1/4" (16.0 cm)



AS-ES-21-10198
Remington Hob
Tip (mm): 1.0, 2.0
Size: 9 1/2" (24.1 cm)



AS-ES-21-10199
Abbey Needle
Size: 6 3/4" (17.5 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-22-10200
Straight
Size: 18.0 cm



AS-ES-22-10201
Angled
Size: 18.0 cm



AS-ES-22-10202
Angled (Upward Tip)
Size: 16.0 cm



AS-ES-22-10203
Angled 45°
Size: 19.0 cm



AS-ES-22-10204
Angled 90°
Size: 16.0 cm



AS-ES-22-10205
Bi-Turbinate Probe
Size: 17.5 cm



AS-ES-22-10206
Bi-Turbinate Probe
(Disposable)
Size: 17.5 cm



AS-ES-22-10207
Bi-Turbinate Probe
Size: 19.5 cm



AS-ES-22-10208
Bipolar Eraser
(18 Ga) Flat Tip
Size: 11.5 cm



AS-ES-22-10209
Bi-Turbinate Probe
(Disposable)
Size: 19.5 cm



AS-ES-22-10210
Bipolar Eraser (18 Ga)
Flat Tip (Disposable)
Size: 11.5 cm

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-23-10211
Straight
Size: 18.0 cm



AS-ES-23-10212
Angled
Size: 18.0 cm



AS-ES-23-10213
Angled (Upward Tip)
Size: 16.0 cm



AS-ES-23-10214
Angled 45°
Size: 19.0 cm




AS-ES-23-10215
Angled 90°
Size: 16.0 cm

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-24-10216

Silicone Bipolar Cable 10' (3.0 m)
Instrument Connector: USA 2-Pin Plug Generator
Connector: 4 mm Banana Plug
Compatibility: Valleylab, Conmed, Codman, Olympus & Most Bipolar Generator



AS-ES-24-10218

Silicone European Bipolar Cable 10' (3.0 m)
Instrument Connector: European Flat Plug Generator
Connector: 4 mm Banana Plug
Compatibility: Valleylab, Conmed, Codman, Olympus & most Bipolar Generator



AS-ES-24-10220

Silicone European Bipolar Cable 10' (3.0 m)
Instrument Connector: European Flat Plug Generator
Connector: Martin Type
Compatibility: Aesculap, Martin, Berchtold, Wolf




AS-ES-24-10222

Silicone European Bipolar Cable 10' (3.0 m)
Instrument Connector: European Flat Plug Generator
Connector: Erbe Type
Compatibility: Erbe, Downs, Siemens



AS-ES-24-10224

Silicone Bipolar Cable 10' (3.0 m)
Instrument Connector: USA 2-Pin Plug Generator
Connector: Erbe Type
Compatibility: Erbe, Downs, Siemens



AS-ES-24-10217

Silicone Bipolar Cable 10' (3.0 m)
Instrument Connector: USA 2-Pin Plug Generator
Connector: 4 mm Banana Plug
Compatibility: Valleylab, Conmed, Codman, Olympus & most Bipolar Generator



AS-ES-24-10219

Silicone European Bipolar Cable 10' (3.0 m)
Instrument Connector: European Flat Plug Generator
Connector: Martin Type
Compatibility: Aesculap, Martin, Berchtold, Wolf




AS-ES-24-10221

Silicone Bipolar Cable 10' (3.0 m)
Instrument Connector: USA 2-Pin Plug Generator
Connector: Martin Type
Compatibility: Aesculap, Martin, Berchtold, Wolf



AS-ES-24-10223

Silicone European Bipolar Cable 10' (3.0 m)
Instrument Connector: European Flat Plug Generator
Connector: Erbe Type
Compatibility: Erbe, Downs, Siemens




AS-ES-24-10225

Silicone Bipolar Cable 10' (3.0 m)
Instrument Connector: European Flat Plug Generator
Connector: Pin Distance 29 mm
Compatibility: Valleylab, EMC, Doly

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n




AS-ES-24-10226

Silicone Bipolar Cable 10' (3.0 m)
Instrument Connector: USA 2-Pin Plug Generator
Connector: Pin Distance 29 mm
Compatibility: Valleylab, EMC, Dolley




AS-ES-24-10228

Silicone Bipolar Cable 10' (3.0 m)
Instrument Connector: Ethicon / 2.5 mm Generator
Connector: 4 mm Banana Plug
Compatibility: Valleylab, Conmed, Codman, Olympus & most Bipolar Generator




AS-ES-24-10230

Silicone Bipolar Cable 10' (3.0 m)
Instrument Connector: Aesculap Generator
Connector: Martin Type
Compatibility: Aesculap, Martin, Berchtold, Wolf



AS-ES-24-10232

Silicone Bipolar Cable 10' (3.0 m)
Instrument Connector: Aesculap Generator
Connector: Pin Distance 29 mm
Compatibility: Valleylab, EMC, Dolley




AS-ES-24-10234

Silicone Bipolar Cable 10' (3.0 m)
Instrument Connector: European Flat Plug Generator
Connector: Universal 18 - 28 mm
Compatibility: Valleylab, Conmed, Codman, Olympus & most Bipolar Generator




AS-ES-24-10227

Silicone Bipolar Cable 10' (3.0 m)
Instrument Connector: Bipolar Artery Sealer Generator
Connector: 4 mm Banana Plug
Compatibility: Valleylab, Conmed, Codman, Olympus & most Bipolar Generator




AS-ES-24-10229

Silicone European Bipolar Cable 10' (3.0 m)
Instrument Connector: Aesculap Generator
Connector: 4 mm Banana Plug
Compatibility: Aesculap, Valleylab, Conmed, Codman & most Bipolar Generator




AS-ES-24-10231

Silicone Bipolar Cable 10' (3.0 m)
Instrument Connector: Aesculap Generator
Connector: Erbe Type
Compatibility: Erbe, Downs, Siemens



AS-ES-24-10233

Silicone Bipolar Cable 10' (3.0 m)
Instrument Connector: USA 2-Pin Plug Generator
Connector: Universal 18 - 28 mm
Compatibility: Valleylab, Conmed, Codman, Olympus & most Bipolar Generator



AS-ES-24-10235

Silicone European Bipolar Cable 10' (3.0 m)
Instrument Connector: Aesculap Generator
Connector: Universal 18 - 28 mm
Compatibility: Valleylab, Conmed, Codman, Olympus & most Bipolar Generator

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n





AS-ES-25-10236

Silicone Monopolar Cable 10' (3.0 m)
Instrument Connector: 4mm Male Fitting
(European Diathermy) Generator
Connector: Standard Bovie® 8 mm Plug
Compatibility: Valleylab, Conmed, Bovie®



AS-ES-25-10237

Silicone Monopolar Cable 10' (3.0 m)
Instrument Connector: Screw Type Generator
Connector: Standard Bovie® 8 mm Plug
Compatibility: Valleylab, Conmed, Bovie®



AS-ES-25-10238

Silicone Monopolar Endoscopic Cable 10' (3.0 m)
Instrument Connector: 4 mm Female Fitting Generator
Connector: Standard Bovie® 8 mm Plug
Compatibility: Valleylab, Conmed, Bovie®




AS-ES-25-10239

Silicone Monopolar Endoscopic Cable 10' (3.0 m)
Instrument Connector: 4 mm Female Fitting Generator
Connector: Standard Banana Plug
Compatibility: Most ES Generators



AS-ES-25-10240

Silicone Diathermy Cable 10' (3.0 m)
Instrument Connector: 4 mm Male Fitting
(European Diathermy) Generator
Connector: Standard 4mm Banana Plug
Compatibility: Most ES Generators



AS-ES-25-10241

Silicone Diathermy Cable 10' (3.0 m)
Instrument Connector: 4.8 mm Female Fitting
(English Diathermy) Generator
Connector: Standard Bovie® 8 mm Plug
Compatibility: Valleylab, Conmed, Bovie®



AS-ES-25-10242

Silicone Diathermy Cable 10' (3.0 m)
Instrument Connector: 4.8 mm Female Fitting
(English Diathermy) Generator
Connector: Standard 4 mm Banana Plug
Compatibility: Most ES Generators




AS-ES-25-10243

Silicone Urology (Double Stem) Cable 10' (3.0 m)
Instruments Connector: Resectoscope Generator
Connector: Standard 4 mm Banana Plug
Compatibility: Most ES Generators



AS-ES-25-10244

Silicone Urology (Double Stem) Cable 10' (3.0 m)
Instruments Connector: Resectoscope Generator
Connector: Standard 4 mm Banana Plug
Compatibility: Most ES Generators



AS-ES-26-10245

Bipolar Cable 10' (3.0 m)

Instrument Connector: USA 2-Pin Plug Generator

Connector: 4 mm Banana Plug

Compatibility: Valleylab, Conmed, Codman, Olympus & most Bipolar Generator




AS-ES-26-10246

Bipolar Cable 10' (3.0 m)

Instrument Connector: European Flat Plug Generator

Connector: 4 mm Banana Plug

Compatibility: Valleylab, Conmed, Codman, Olympus & most Bipolar Generator



AS-ES-26-10247

Bipolar Cable 10' (3.0 m)

Instrument Connector: European Flat Plug Generator

Connector: Martin Type

Compatibility: Aesculap, Martin, Berchtold, Wolf




AS-ES-26-10248

Bipolar Cable 10' (3.0 m)

Instrument Connector: USA 2-Pin Plug Generator

Connector: Martin Type

Compatibility: Aesculap, Martin, Berchtold, Wolf



AS-ES-26-10249

Bipolar Cable 10' (3.0 m)

Instrument Connector: European Flat Plug Generator

Connector: Erbe Type

Compatibility: Erbe, Downs, Siemens




AS-ES-26-10250

Bipolar Cable 10' (3.0 m)

Instrument Connector: USA 2-Pin Plug Generator

Connector: Erbe Type

Compatibility: Erbe, Downs, Siemens



AS-ES-26-10251

Bipolar Cable 10' (3.0 m)

Instrument Connector: European Flat Plug Generator

Connector: Pin Distance 29 mm

Compatibility: Valleylab, EMC, Doly




AS-ES-26-10252

Bipolar Cable 10' (3.0 m)

Instrument Connector: USA 2-Pin Plug Generator

Connector: Pin Distance 29 mm

Compatibility: Valleylab, EMC, Doly




AS-ES-26-10253

Bipolar Cable 10' (3.0 m)

Instrument Connector: Aesculap Generator

Connector: 4 mm Banana Plug

Compatibility: Aesculap, Valleylab, Conmed, Codman & most Bipolar Generator



AS-ES-26-10254

Bipolar Cable 10' (3.0 m)

Instrument Connector: USA 2-Pin Plug Generator

Connector: Pin Distance 29 mm

Compatibility: Valleylab, EMC, Doly

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-27-10255
Monopolar Cable 10' (3.0 m)
Instrument Connector: 4 mm Male Fitting
(European Diathermy) Generator
Connector: Standard Bovie® 8 mm Plug
Compatibility: Valleylab, Conmed, Bovie®



AS-ES-27-10256
Monopolar Cable 10' (3.0 m)
Instrument Connector: Screw Type Generator
Connector: Standard Bovie® 8 mm Plug
Compatibility: Valleylab, Conmed, Bovie®



AS-ES-27-10257
Monopolar Cable 10' (3.0 m)
Instrument Connector: 4 mm Female Fitting Generator
Connector: Standard Bovie® 8 mm Plug
Compatibility: Valleylab, Conmed, Bovie®



AS-ES-27-10258
Monopolar Cable 10' (3.0 m)
Instrument Connector: 4 mm Female Fitting Generator
Connector: Standard 4 mm Banana Plug
Compatibility: Most ES Generators



AS-ES-27-10259
Monopolar Cable 10' (3.0 m)
Instrument Connector: 4 mm Male Fitting
(European Diathermy) Generator
Connector: Standard 4 mm Banana Plug
Compatibility: Most ES Generators



AS-ES-27-10260
Monopolar Cable 10' (3.0 m)
Instrument Connector: 4.8 mm Female Fitting
(English Diathermy) Generator
Connector: Standard Bovie® 8 mm Plug
Compatibility: Valleylab, Conmed, Bovie®



AS-ES-27-10261
Monopolar Cable 10' (3.0 m)
Instrument Connector: 4.8 mm Female Fitting
(English Diathermy) Generator
Connector: Standard 4 mm Banana Plug
Compatibility: Most ES Generators

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-28-10262
Finger Switch Pencil - Single Use
Finger Switch Pencil (3m) Cable
Regular: 150-100
With Tip Cleaner: 150-100 T
With Holster: 150-100 H
With Holster & With Tip Cleaner: 150-100 HT



AS-ES-28-10264
Finger Switch Pencil - Single Use
Finger Switch Pencil (5m) Cable
Regular: 150-101
With Tip Cleaner: 150-101 T
With Holster: 150-101 H
With Holster & With Tip Cleaner: 150-101 HT



AS-ES-28-10266
Foot Control Pencil - Single Use
Foot Control Pencil - Single Use (3m Cable)



AS-ES-28-10268
Rocker-Switch Pencil - Single Use
Rocker-Switch Pencil - Single Use (3m Cable)




AS-ES-28-10263
Finger Switch Pencil Non-Stick - Single Use
Finger Switch Pencil (3m) Cable
Regular: 150-100 NS
With Tip Cleaner: 150-100 NS T
With Holster: 150-100 NS H
With Holster & With Tip Cleaner: 150-100 NS HT



AS-ES-28-10265
Finger Switch Pencil Non-Stick - Single Use
Finger Switch Pencil (5m) Cable
Regular: 150-101NS
With Tip Cleaner: 150-101 NS T
With Holster: 150-101 NS H
With Holster & With Tip Cleaner: 150-101 NS HT



AS-ES-28-10267
Foot Control Pencil - Single Use
Foot Control Pencil - Single Use (5m Cable)



AS-ES-28-10269
Finger Switch Pencil - Reusable
Finger Switch Pencil - Reusable (3m Silicon Cable)



AS-ES-28-10270
Electrode Handle - Reusable
Electrode Handle - Reusable (3m Silicon Cable)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-29-10271
Blade Electrode
Blade Electrode (Disposable)



AS-ES-29-10273
Blade Electrode
Blade Electrode (Disposable)



AS-ES-29-10275
Blade Electrode (Curved)
Blade Electrode (Curved) (Disposable)



AS-ES-29-10277
Blade Electrode (Curved)
Blade Electrode (Curved) (Disposable)



AS-ES-29-10279
Blade Electrode (Shaft 13 cm)
Blade Electrode (Shaft 13 cm) (Disposable)



AS-ES-29-10281
Knife Electrode
Knife Electrode (Disposable)



AS-ES-29-10283
Knife Electrode
Knife Electrode (Curved) (Disposable)



AS-ES-29-10285
Needle Electrode
Needle Electrode (Disposable)



AS-ES-29-10287
Needle Electrode
Needle Electrode (Curved) (Disposable)



AS-ES-29-10289
Needle Electrode (Shaft 13 cm)
Needle Electrode (Shaft 13 cm) (Disposable)



AS-ES-29-10291
Ball Electrode (2 mm)
Ball Electrode (2 mm) (Disposable)



AS-ES-29-10293
Ball Electrode (Curved) (2 mm)
Ball Electrode (Curved) (2 mm) (Disposable)



AS-ES-29-10272
Blade Electrode
Blade Electrode (Reusable)



AS-ES-29-10274
Blade Electrode
Blade Electrode (Reusable)



AS-ES-29-10276
Blade Electrode (Curved)
Blade Electrode (Curved) (Reusable)



AS-ES-29-10278
Blade Electrode (Curved)
Blade Electrode (Curved) (Reusable)



AS-ES-29-10280
Blade Electrode (Shaft 13 cm)
Blade Electrode (Shaft 13 cm) (Reusable)



AS-ES-29-10282
Knife Electrode
Knife Electrode (Reusable)



AS-ES-29-10284
Knife Electrode
Knife Electrode (Curved) (Reusable)



AS-ES-29-10286
Needle Electrode
Needle Electrode (Reusable)



AS-ES-29-10288
Needle Electrode
Needle Electrode (Curved) (Reusable)



AS-ES-29-10290
Needle Electrode (Shaft 13 cm)
Needle Electrode (Shaft 13 cm) (Reusable)



AS-ES-29-10292
KBall Electrode (2 mm)
Ball Electrode (2 mm) (Reusable)



AS-ES-29-10294
Ball Electrode (Curved) (2 mm)
Ball Electrode (Curved) (2 mm) (Reusable)



AS-ES-29-10295
Ball Electrode (3 mm)
(Disposable)



AS-ES-29-10297
Ball Electrode (Curved) (3 mm)
(Disposable)



AS-ES-29-10299
Ball Electrode 3 mm (Shaft 13 cm) (Disposable)



AS-ES-29-10301
Ball Electrode (4 mm) (Disposable)



AS-ES-29-10303
Ball Electrode (Curved) (4 mm) (Disposable)



AS-ES-29-10305
Ball Electrode (5 mm) (Disposable)



AS-ES-29-10307
Ball Electrode (Curved) (5 mm) (Disposable)



AS-ES-29-10309
Ball Electrode 5 mm (Shaft 13 cm) (Disposable)



AS-ES-29-10311
Ball Electrode (3 mm) (Disposable)



AS-ES-29-10313
Circle Loop Electrode (4 mm) (Reusable)



AS-ES-29-10315
Circle Loop Electrode (8 mm) (Reusable)



AS-ES-29-10296
Ball Electrode (3 mm)
(Reusable)



AS-ES-29-10298
Ball Electrode (Curved) (3 mm)
(Reusable)



AS-ES-29-10300
Ball Electrode 3 mm (Shaft 13 cm) (Reusable)



AS-ES-29-10302
Ball Electrode (4 mm) (Reusable)



AS-ES-29-10304
Ball Electrode (Curved) (4 mm) (Reusable)



AS-ES-29-10306
Ball Electrode (5 mm) (Reusable)



AS-ES-29-10308
Ball Electrode (Curved) (5 mm) (Reusable)



AS-ES-29-10310
Ball Electrode 5 mm (Shaft 13 cm) (Reusable)



AS-ES-29-10312
Ball Electrode (3 mm) (Reusable)



AS-ES-29-10314
Circle Loop Electrode (6 mm) (Reusable)



AS-ES-29-10316
Diamond Electrode (Reusable)



AS-ES-29-10317
Fine Needle Electrode (Reusable)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-30-10318
Blade Electrode (6 cm)
(Disposable)



AS-ES-30-10320
Blade Electrode (7 cm)
(Disposable)



AS-ES-30-10322
Blade Electrode (10 cm)
(Disposable)



AS-ES-30-10324
Blade Electrode (16 cm)
(Disposable)



AS-ES-30-10326
Blade Electrode (16 cm)
(Disposable)



AS-ES-30-10328
Needle Electrode (10 cm)
(Disposable)



AS-ES-30-10330
Needle Electrode (15 cm)
(Disposable)



AS-ES-30-10332
Ball Electrode (5 cm)
(Disposable)



AS-ES-30-10319
Blade Electrode (6 cm)
(Disposable)



AS-ES-30-10321
Blade Electrode (7 cm)
(Disposable)



AS-ES-30-10323
Blade Electrode (10 cm)
(Disposable)



AS-ES-30-10325
Blade Electrode (16 cm)
(Disposable)



AS-ES-30-10327
Blade Electrode (16 cm)
(Disposable)



AS-ES-30-10329
Needle Electrode (10 cm)
(Disposable)



AS-ES-30-10331
Needle Electrode (15 cm)
(Disposable)



AS-ES-30-10333
Ball Electrode (5 cm)
(Disposable)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-31-10334
Micro Needle Electrode (5 cm)
(Disposable)



AS-ES-31-10336
Micro Needle Electrode Angled (5 cm)
(Disposable)



AS-ES-31-10338
Micro Needle Electrode (6 cm)
(Disposable)



AS-ES-31-10340
Micro Needle Electrode Angled (6 cm)
(Disposable)



AS-ES-31-10342
Micro Needle Electrode (7 cm)
(Disposable)



AS-ES-31-10344
Micro Needle Electrode Angled (7 cm)
(Disposable)



AS-ES-31-10346
Micro Needle Electrode (9 cm)
(Disposable)



AS-ES-31-10348
Micro Needle Electrode Angled (9 cm)
(Disposable)



AS-ES-31-10350
Micro Needle Electrode (12 cm)
(Disposable)



AS-ES-31-10352
Micro Needle Electrode Angled (12 cm)
(Disposable)



AS-ES-31-10354
Micro Needle Electrode (15 cm)
(Disposable)



AS-ES-31-10356
Micro Needle Electrode Angled (15 cm)
(Disposable)



AS-ES-31-10335
Micro Needle Electrode (5 cm)
(Reusable)



AS-ES-31-10337
Micro Needle Electrode Angled (5 cm)
(Reusable)



AS-ES-31-10339
Micro Needle Electrode (6 cm)
(Reusable)



AS-ES-31-10341
Micro Needle Electrode Angled (6 cm)
(Reusable)



AS-ES-31-10343
Micro Needle Electrode (7 cm)
(Reusable)



AS-ES-31-10345
Micro Needle Electrode Angled (7 cm)
(Reusable)



AS-ES-31-10347
Micro Needle Electrode (9 cm)
(Reusable)



AS-ES-31-10349
Micro Needle Electrode Angled (9 cm)
(Reusable)



AS-ES-31-10351
Micro Needle Electrode (12 cm)
(Reusable)



AS-ES-31-10353
Micro Needle Electrode Angled (12 cm)
(Reusable)



AS-ES-31-10355
Micro Needle Electrode (15 cm)
(Reusable)




AS-ES-31-10357
Micro Needle Electrode Angled (15 cm)
(Reusable)


H
i
g
h

F
r
e
q
u
e
n
c
y


I
n
n
o
v
a
t
i
o
n



AS-ES-32-10358
Loop Electrodes (2.4 mm)



AS-ES-32-10359
Loop Electrodes (2.4 mm)



AS-ES-32-10360
Loop Electrodes (2.4 mm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-33-10361
Conization Electrode (Small)
Cone Size: 8 x 15 mm



AS-ES-33-10362
Conization Electrode (Medium)
Cone Size: 11 x 15 mm



AS-ES-33-10363
Conization Electrode (Large)
Cone Size: 13 x 15 mm



AS-ES-33-10364
Conization Electrode (Medium Extended)
Cone Size: 11 x 21 mm



AS-ES-33-10365
Conization Electrode (Large Shallow)
Cone Size: 14 x 8 mm



AS-ES-33-10366
Electrode Extender Reusable
Size: 7.0 cm



AS-ES-33-10367
Electrode Extender Reusable
Size: 13.0 cm



AS-ES-33-10368
Electrode Extender Reusable
Size: 18.0 cm

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-34-10369
Blade Electrode
(Reusable)



AS-ES-34-10371
Needle Electrode
(Reusable)



AS-ES-34-10373
Ball Electrode (2 mm)
(Reusable)



AS-ES-34-10375
Ball Electrode (3 mm)
(Reusable)



AS-ES-34-10377
Ball Electrode (4 mm)
(Reusable)



AS-ES-34-10379
Ball Electrode (5 mm)
(Reusable)



AS-ES-34-10381
Blade Electrode (Shaft 13 cm)
(Reusable)



AS-ES-34-10383
Ball Electrode 3 mm (Shaft 13 cm)
(Reusable)



AS-ES-34-10385
Ball Electrode 5 mm (Shaft 13 cm)
(Reusable)



AS-ES-34-10387
Round Loop Electrode 7 cm (6 mm)
(Reusable)



AS-ES-34-10389
Round Loop Electrode 7 cm (10 mm)
(Reusable)



AS-ES-34-10391
Plate Electrode (Large)
(Reusable)



AS-ES-34-10370
Blade Electrode (Curved)
(Reusable)



AS-ES-34-10372
Needle Electrode (Curved)
(Reusable)



AS-ES-34-10374
Ball Electrode (2 mm) Curved
(Reusable)



AS-ES-34-10376
Ball Electrode (3 mm) Curved
(Reusable)



AS-ES-34-10378
Ball Electrode (4 mm) Curved
(Reusable)



AS-ES-34-10380
Ball Electrode (5 mm) Curved
(Reusable)



AS-ES-34-10382
Needle Electrode (Shaft 13 cm)
(Reusable)



AS-ES-34-10384
Ball Electrode 3 mm (Shaft 13 cm)
(Reusable)



AS-ES-34-10386
Round Loop Electrode 7 cm (4 mm)
(Reusable)



AS-ES-34-10388
Round Loop Electrode 7 cm (8 mm)
(Reusable)




AS-ES-34-10390
Plate Electrode (Small)
(Reusable)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n




H
i
g
h

F
r
e
q
u
e
n
c
y


I
n
n
o
v
a
t
i
o
n




AS-ES-36-10407
Monopolar



AS-ES-36-10408
Bipolar



AS-ES-36-10409
Erbe



AS-ES-36-10410
Valleylab



AS-ES-36-10411
Silicone Return Plate Erbe Connector
(5m cable)



AS-ES-36-10412
Silicone Patient Return Valleylab Connector
(5m cable)



AS-ES-37-10413
Dagger (12 cm)



AS-ES-37-10415
Hook (12 cm)



AS-ES-37-10417
Hockey (12 cm)



AS-ES-37-10419
Nasal Coagulation Cannula (10 cm) Reusable



AS-ES-37-10421
Frazier Suction Tube
11 French (5 1/4", 13.5 cm)



AS-ES-37-10423
Frazier Suction Tube
11 French (16", 40.6 cm)



AS-ES-37-10414
Dagger (18 cm)



AS-ES-37-10416
Hook (18 cm)



AS-ES-37-10418
Hockey (18 cm)



AS-ES-37-10420
Nasal Coagulation Cannula (26 cm) Reusable



AS-ES-37-10422
Frazier Suction Tube
11 French (8", 20.5 cm)



AS-ES-37-10424
Suction Coagulator (Single Use) (3m cable)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-38-10425
Graves Vaginal Speculum
With Fixed or Disposable
Smoke Tube

Graves Vaginal Speculum
With Fixed or Disposable Smoke Tube

Fixed Tube Cat #	Disposable Tube Cat #	Size	Length	Width
130-104	130-104 DT	X-Large	150 mm	40 mm
130-100	130-100 DT	Large	115 mm	35 mm
130-102	130-102 DT	Medium	95 mm	35 mm
130-103	130-103 DT	Small	75 mm	20 mm



AS-ES-38-10426
VU-Max Graves Speculum
With Fixed or Disposable
Smoke Tube

VU-Max Graves Speculum
With Fixed or Disposable Smoke Tube

Fixed Tube Cat #	Disposable Tube Cat #	Size	Length	Width
130-107	130-107 DT	X-Large	135 mm	37 mm
130-106	130-106 DT	Large	110 mm	35 mm
130-105	130-105 DT	Medium	100 mm	35 mm



AS-ES-38-10427
VU-Max Pederson Speculum
With Fixed or Disposable
Smoke Tube

VU-Max Pederson Speculum
With Fixed or Disposable Smoke Tube

Fixed Tube Cat #	Disposable Tube Cat #	Size	Length	Width
130-114	130-114 DT	Large	115 mm	25 mm
130-115	130-115 DT	Medium	100 mm	22 mm



AS-ES-38-10428
VU-More (Graves) Speculum
With Fixed or Disposable
Smoke Tube

VU-More (Graves) Speculum
With Fixed or Disposable Smoke Tube

Fixed Tube Cat #	Disposable Tube Cat #	Size	Length	Width
130-117	130-117 DT	Large	115 mm	35 mm
130-118	130-118 DT	Medium	100 mm	35 mm
130-119	130-119 DT	Small	80 mm	30 mm



AS-ES-38-10429
Pederson Speculum
With Fixed or Disposable
Smoke Tube

Pederson Speculum
With Fixed or Disposable Smoke Tube

Fixed Tube Cat #	Disposable Tube Cat #	Size	Length	Width
130-204	130-204 DT	X-Large	165 mm	25 mm
130-200	130-200 DT	Large	115 mm	25 mm
130-202	130-202 DT	Medium	100 mm	22 mm
130-203	130-203 DT	Small	75 mm	14 mm



AS-ES-38-10430
Chinese Pattern
Speculum
With Smoke Tube

Chinese Pattern Speculum
With Smoke Tube

Cat #	Size	Length	Width
130-255	Medium	95 mm	28 mm
130-257	Small	70 mm	35 mm



AS-ES-38-10431
CUSCO Speculum
With Smoke Tube

CUSCO Speculum
With Smoke Tube

Cat #	Size	Length	Width
130-108	Large	95 mm	36 mm
130-109	Medium	85 mm	35 mm
130-110	Small	75 mm	32 mm



AS-ES-38-10432
Weisman Speculum
(Right Open)
With Smoke Tube

Weisman Speculum (Right Open)
With Smoke Tube

Cat #	Size	Length	Width
130-221	Large	115 mm	35 mm
130-225	Medium	95 mm	35 mm

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-38-10433
Weisman Speculum
(Left Open)
With Smoke Tube

Weisman Speculum (Left Open)
With Smoke Tube

Cat #	Size	Length	Width
130-220	Large	115 mm	35 mm
130-224	Medium	95 mm	35 mm



AS-ES-38-10434
Weisman Pederson Speculum
900 (Right Open)
With Smoke Tube

Weisman Speculum 90° (Left Open)
With Smoke Tube

Cat #	Size	Length	Width
130-226-90	X-Large	135 mm	40 mm
130-220-90	Large	115 mm	35 mm
130-224-90	Medium	95 mm	35 mm



AS-ES-38-10435
Weisman Pederson Speculum
900 (Left Open)
With Smoke Tube

Weisman Pederson Speculum 90° (Left Open)
With Smoke Tube

Cat #	Size	Length	Width
130-208-90	Large	115 mm	25 mm
130-209-90	Medium	100 mm	25 mm



AS-ES-38-10436
Collin Speculum
With Smoke Tube

Collin Speculum
With Smoke Tube

Cat #	Size	Length	Width
130-111	Large	110 mm	40 mm
130-112	Medium	100 mm	35 mm
130-113	Small	95 mm	30 mm



AS-ES-38-10437
Weisman Speculum 900
(Right Open)
With Smoke Tube

Weisman Speculum 90° (Left Open)
With Smoke Tube

Cat #	Size	Length	Width
130-226-90	X-Large	135 mm	40 mm
130-220-90	Large	115 mm	35 mm
130-224-90	Medium	95 mm	35 mm



AS-ES-38-10438
Weisman Speculum 900
(Left Open)
With Smoke Tube

Weisman Speculum 90° (Left Open)
With Smoke Tube

Cat #	Size	Length	Width
130-226-90	X-Large	135 mm	40 mm
130-220-90	Large	115 mm	35 mm
130-224-90	Medium	95 mm	35 mm



AS-ES-38-10439
Dressing Forceps
Size: (21 cm)



AS-ES-38-10441
Dressing Forceps Fully Coated
Size: (21 cm)



AS-ES-38-10440
Dressing Forceps
Size: (25 cm)



AS-ES-38-10442
Dressing Forceps Fully Coated
Size: (25 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-38-10443
Tissue Forceps (Exposed Tip)
Size: (21 cm)



AS-ES-38-10445
Tissue Forceps
Size: (21 cm)



AS-ES-38-10447
Iris Hook
Size: (25 cm)



AS-ES-38-10449
Straight Hook
Size: (25 cm)



AS-ES-38-10444
Tissue Forceps (Exposed Tip)
Size: (25 cm)



AS-ES-38-10446
Tissue Forceps
Size: (25 cm)



AS-ES-38-10448
Emmet Hook
Size: (25 cm)



AS-ES-38-10450
Two-Prong Hook
Size: (25 cm)



AS-ES-38-10451
Three-Prong Hook
Size: (25 cm)



AS-ES-38-10452
Lateral Vaginal Retractor



AS-ES-38-10453
Lateral Vaginal
Retractor Wide Open



AS-ES-38-10454
Lateral Vaginal
Retractor 1/2" Open



AS-ES-38-10455
Lateral Vaginal
Retractor 1" Open



AS-ES-38-10456
Gelpi Retractor



AS-ES-38-10457
Rigby Retractor



AS-ES-38-10458
Kogan Endocervical Speculum
Size: 3mm



AS-ES-38-10459
Kogan Endocervical Speculum
Size: 4mm




AS-ES-38-10460
Kogan Endocervical Speculum
Size: 5mm




AS-ES-38-10461
Schroeder Tanaculum (24 cm)




AS-ES-38-10462
Schroeder Tanaculum (24 cm)




AS-ES-38-10463
Single Tooth Tanaculum (24 cm)



AS-ES-38-10464
Ring Forceps (22 cm)




AS-ES-38-10465



AS-ES-38-10466
Campion Forceps
(22 cm)

AS-ES-38-10467
Sims Speculum
(Medium)

AS-ES-38-10468
Sims Speculum
(Small)



AS-ES-38-10469
US Army Retractor
(Set of 2) 8 1/2" (21.5 cm)

AS-ES-38-10470
Farabeuf Retractor
(Set of 2) 6" (15 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-39-10471
Jager Lid Plate 4 1/2" (11.0 cm)



AS-ES-39-10472
Desmarres Lid Retractor 5 1/2" (14.0 cm)
Size: 10 mm



AS-ES-39-10473
Desmarres Lid Retractor 5 1/2" (14.0 cm)
Size: 12 mm



AS-ES-39-10474
Desmarres Lid Retractor 5 1/2" (14.0 cm)
Size: 14 mm



AS-ES-39-10475
Desmarres Lid Retractor 5 1/2" (14.0 cm)
Size: 16 mm



AS-ES-39-10476
Fomon Retractor
Double Ball End 6 1/4" (16.0 cm)



AS-ES-39-10477
Senn-Muller Retractor (Sharp) 6 1/4" (16.0 cm)



AS-ES-39-10478
Senn-Muller Retractor (Blunt) 6 1/4" (16.0 cm)



AS-ES-39-10479
Desmarres Lid Retractor 8/10 mm 5 1/2" (14.0 cm)



AS-ES-39-10480
Double Eye Lid Retractor



AS-ES-39-10481
Ragnell - Davis Retractor 6" (15.0 cm)

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-40-10482
Graves Speculum
With Smoke Tube

Graves Speculum
With Smoke Tube

Cat #	Size	Length	Width
140-104	X-Large	150 mm	40 mm
140-100	Large	115 mm	35 mm
140-102	Medium	95 mm	35 mm
140-103	Small	75 mm	20 mm



AS-ES-40-10483
Pederson Speculum
With Smoke Tube

Pederson Speculum
With Smoke Tube

Cat #	Size	Length	Width
140-204	X-Large	165 mm	25 mm
140-200	Large	115 mm	25 mm
140-202	Medium	100 mm	22 mm
140-203	Small	75 mm	14 mm



AS-ES-40-10484
Collin Speculum
With Smoke Tube

Collin Speculum
With Smoke Tube

Cat #	Size	Length	Width
140-111	Large	110 mm	40 mm
140-112	Medium	100 mm	35 mm
140-113	Small	95 mm	30 mm



AS-ES-40-10485
ateral Vaginal Retractor



AS-ES-40-10486
Kogan Endocervical Speculum



3mm 140-133



4mm 140-134



5mm 140-135



AS-ES-40-10487
Gelpi Retractor



AS-ES-40-10488
Rigby Retractor



AS-ES-40-10489
Schroeder Tenaculum



AS-ES-40-10491
Iris Hook



AS-ES-40-10492
Emmet Hook



AS-ES-40-10493
Straight Hook



AS-ES-40-10490
Two-Prong Hook




AS-ES-40-10494
Three-Prong Hook


H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



AS-ES-41-10495
Sterilization Tray (3 pcs.) Stainless Steel
Length: 30.5 cm
Width: 8 cm
Height: 4.5 cm



AS-ES-41-10496
Sterilization Tray (6 pcs.) Stainless Steel
Length: 30.5 cm
Width: 15 cm
Height: 4.5 cm



AS-ES-41-10497
Sterilization Tray (2 pcs.) Aluminum
Length: 25 cm
Width: 6.5 cm
Height: 5 cm



AS-ES-41-10498
Sterilization Tray (5 pcs.) Aluminum
Length: 30 cm
Width: 6.5 cm
Height: 5 cm

H
i
g
h

F
r
e
q
u
e
n
c
y

I
n
n
o
v
a
t
i
o
n



Ajwa Surgical

Address: Sialkot (51310) Pakistan.

E-mails: info@ajwasurgical.com

Cell # : +92 315 7651238 

URL : <https://www.ajwasurgical.com>